



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 1 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Commercial Product Name : **Curox M-302**
Company : **United Initiators GmbH & Co. KG**
Dr. Gustav-Adolph-Str. 3
82049 Pullach
Germany
E-mail address : contact@united-in.com
Emergency telephone : +49 / 89 / 74422 - 0

In case of an emergency in the United States, contact:

For chemical Emergency ONLY call CHEMTREC : 1-800-424-9300

For ALL other inquiries about this product call :

United Initiators Inc.

555 Garden Street, Elyria Ohio 44035 at

1 (440) 323-3112

Use

Type of use : Industrial use chemicals

2. HAZARDS IDENTIFICATION

Risk advice to man and the environment



Symbol(s) : O Oxidising
C Corrosive

R-phrases : R 7 May cause fire.
R34 Causes burns.
R22 Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 2 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Hazardous components

Chemical Name	CAS-No.	EC-No. / Registration number	Classification	Concentration[%]
methylethylketoneperoxide	1338-23-4	215-661-2	R 7 Xn; R22 C; R34	25 - < 35
4-hydroxy-4methylpentan-2-one (diacetone alcohol)	123-42-2	204-626-7	Xi; R36	12,5 - < 15
methylethylketone	78-93-3	201-159-0	F; R11 Xi; R36 R66 R67	3 - < 5
hydrogen peroxide	7722-84-1	231-765-0	R 5 O; R 8 C; R35 Xn; R20/22	3 - < 5

4. FIRST AID MEASURES

- General advice : Take off all contaminated clothing immediately.
Never give anything by mouth to an unconscious person.
Remove from exposure, lie down.
In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- Inhalation : Remove to fresh air.
Call a physician immediately.
- Skin contact : Wash off immediately with soap and plenty of water.
- Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Ingestion : Clean mouth with water and drink afterwards plenty of water.
If a person vomits when lying on his back, place him in the recovery position.
Do NOT induce vomiting.
If swallowed, seek medical advice immediately and show this container or label.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 3 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Extinguishing media which shall not be used for safety reasons

: High volume water jet

Specific hazards during fire fighting

: Cool closed containers exposed to fire with water spray.
Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters

: Use personal protective equipment.

Further information

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Wear respiratory protection.
Wear personal protective equipment.

Environmental precautions

: Avoid subsoil penetration.
Do not allow material to contaminate ground water system.
Do not contaminate water.
If the product contaminates rivers and lakes or drains inform respective authorities.
Do not let product enter drains.

Methods for cleaning up

: Remove mechanically and with care (e.g. with clean polyethylene plastic shovel).
Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 4 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Additional advice : Never add other substances or waste material to product residue.
Move product residue to a safe place and dispose of properly.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : For personal protection see section 8.

Storage

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep container tightly closed.
No smoking.

Further information on storage conditions : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

Advice on common storage : Store apart from other dangerous and incompatible substances.

Storage temperature : < 30 °C

Remarks : Storing temperature for reasons of quality
liquid up to -25 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Control parameters	Basis	Update
4-hydroxy-4methylpentan-2-one (diacetone alcohol)	123-42-2	96 mg/m3, 20 ppm	TRGS 900	01 2006
methylethylketone	78-93-3	600 mg/m3, 200 ppm	TRGS 900	

Engineering measures

General advice : Provide adequate ventilation.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page **5** of **10**

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Personal protective equipment

Respiratory protection : Short duration filter unit: Filter A

Hand protection : Skin should be washed after contact.

Glove thickness : 0,5 mm

Break through time : >= 8 h

Material : butyl-rubber

Eye protection : Tightly fitting safety goggles
Face protection

Skin and body protection : Protective suit
Remove and wash contaminated clothing before re-use.

Hygiene measures : Wash hands before breaks and immediately after handling the product.
Keep away from food, drink and animal feedingstuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : liquid

Colour : colourless

Safety data

pH : not applicable

Miscibility in water : immiscible

Boiling point/boiling range : not applicable, Decomposition

Flash point : 56 °C Method: ISO 3679, Seta-Flash

Lower explosion limit : not applicable

Upper explosion limit : not applicable

Vapour pressure : no data available

Density : 1,02 g/cm³ at 20 °C

Partition coefficient: n-octanol/water :
no data available

Solubility in other solvents : Medium: Phthalates
Mixable



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 6 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Viscosity, dynamic : 13 mPa.s at 20 °C

Refraction index : 1,431 at 20 °C

10. STABILITY AND REACTIVITY

Conditions to avoid : Keep away from heat and sources of ignition.

Materials to avoid : Accelerators, strong acids and bases, heavy metal salts, reduction mediums
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

Thermal decomposition : ca.60 °C
Method: SADT (UN test H.4)
SADT possible at temperatures above approximately 60 °C.

Hazardous reactions : General Information:
Vapours may form explosive mixture with air.
Stability:
Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat
Dose: 1,017 mg/kg
Test substance: methylethylketoneperoxide (40% in dimethylphthalate)

Acute inhalation toxicity : LC50 rat
Exposure time: 4 h
Dose: 17 mg/l
Test substance: methylethylketoneperoxide (40% in dimethylphthalate)
Aerosol
Nominal concentration

Acute dermal toxicity : LD50 rat
Dose: 1,8 - 3,6 mg/kg
Test substance: methylethylketoneperoxide (60% in dimethylphthalate)

Sensitisation : Method: Maximisation Test
Test substance: methylethylketoneperoxide (60% in dimethylphthalate/diacetone alcohol)
Did not cause sensitization on laboratory animals.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 7 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

AMES-Test:

: rat

Result: Not mutagenic in Ames Test.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Biodegradability

: Result: Readily biodegradable.

Test substance: methylethylketoneperoxide (MEKP)

Method: Closed Bottle Test

Ecotoxicity effects

Toxicity to fish

: LC50

Dose: 44,2 mg/l

Exposure time: 96 h

Test substance: methylethylketoneperoxide (33% in dimethylphthalate)

Toxicity to bacteria

: EC50

Dose: 48 mg/l

Test substance: methylethylketoneperoxide (33% in dimethylphthalate)

Water contaminating class (Germany)

: WGK 2 water endangering

VwVwS (German water pollution authority), appendix 4

13. DISPOSAL CONSIDERATIONS

Advice on disposal and packaging

: Disposal:

Dispose of in conjunction with appropriate waste disposal authorities and in accordance with disposal regulations.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page **8** of **10**

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

14. TRANSPORT INFORMATION

Land transport

ADR

UN Number : 3105
Description of the goods : ORGANIC PEROXIDE TYPE D, LIQUID
(methylethylketoneperoxide)
Class : 5.2
Classification Code : P1

RID

UN Number : 3105
Description of the goods : ORGANIC PEROXIDE TYPE D, LIQUID
(methylethylketoneperoxide)
Class : 5.2
Classification Code : P1
Hazard identification No : 539

Air transport

IATA

UN Number : 3105
Proper technical name : Organic peroxide type D, liquid
(methylethylketoneperoxide)
Class : 5.2

Sea transport

IMDG

Substance No. : UN 3105
Proper technical name : ORGANIC PEROXIDE TYPE D, LIQUID
(methylethylketoneperoxide)
Class : 5.2
EmS Number : F-J S-R
Marine pollutant : no

15. REGULATORY INFORMATION

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- 1338-23-4 methylethylketoneperoxide

Symbol(s) : O Oxidising
C Corrosive





SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page 9 of 10

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

R-phrases(s) : R 7 May cause fire.
R22 Harmful if swallowed.
R34 Causes burns.

S-phrases(s) : S 3/7 Keep container tightly closed in a cool place.
S14 Keep away from strong acids, bases, heavy metal salts and other reducing substances.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S50 Do not mix with activators and catalyst promoters.

National legislation

Other regulations : BGV B4 organische Peroxide. (German regulatory requirements)
BG-Merkblatt M001 beachten (German regulatory requirements)
Produkt unterliegt nicht dem Sprengstoffgesetz (SprengG). (German regulatory requirements)
Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.
Take note of Dir 94/33/EC on the protection of young people at work.
Störfallverordnung Anhang I (German regulatory requirements)

Gefahrengruppe nach § 3 BGV B4: (German regulatory requirements)
Ib (German regulatory requirements)

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R 5 Heating may cause an explosion.
R 7 May cause fire.
R 8 Contact with combustible material may cause fire.
R11 Highly flammable.
R20/22 Harmful by inhalation and if swallowed.
R22 Harmful if swallowed.
R34 Causes burns.
R35 Causes severe burns.
R36 Irritating to eyes.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 14.10.2008

Revision Date : 13.10.2008

Page **10** of **10**

Commercial Product Name: Curox M-302

DE / EN

Version: 1.1

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

prepared by : TechniData BCS GmbH
 Birlenbacher Str. 19
 57078 Siegen
 Germany
 Telephone: +49-(0)271-88072-0
 E-mail address: info@technidata-bcs.de